
Textiles — Tests for colour fastness —

Part F10:

**Specification for adjacent fabric:
Multifibre**

AMENDMENT 1

Textiles — Essais de solidité des teintures —

Partie F10: Spécification pour le tissu témoin: Multifibre

AMENDEMENT 1



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 105-F10:1989 was prepared by Technical Committee ISO/TC 38, *Textiles*, Subcommittee SC 1, *Tests for coloured textiles and colorants*.

STANDARDSISO.COM : Click to view the full PDF of ISO 105-F10:1989/Amd 1:2009

Textiles — Tests for colour fastness —

Part F10:

Specification for adjacent fabric: Multifibre

AMENDMENT 1

Page 1, Clause 2, Normative references

Replace ISO 105-C02:1989, *Textiles — Tests for colour fastness — Part C02: Colour fastness to washing: Test 2* with ISO 105-C10, *Textiles — Tests for colour fastness — Part C10: Colour fastness to washing with soap or soap and soda*.

Page 4, Annex A

A.3.1

Change the text to: “**Apparatus and reagents**, as specified in ISO 105-C10.”

A.3.3

Replace the entire text with the following:

For staining polyamide, wool and silk: **Irgalan Orange RL-KWL** 250 % (CI Acid Orange 86). For staining cotton and viscose: **Solophenyl Blue GL** 250 % (CI Direct Blue 71). For staining diacetate, triacetate, polyamide and polyester: **Terasil Yellow 2GE** 200% (CI Disperse Yellow 54). For staining polyester, diacetate, triacetate and polyamide: **Terasil Navy Blue BGLN** 200 % (CI Disperse Blue 130).

A.7 Notes

Replace the entire text with the following:

The amount of dye used shall give a staining on the reference adjacent fabric of 3-4 whilst ensuring that there is dye left in the test liquor at the end of the test. The following concentrations of dye are given as a guide:

Irgalan Orange RL-KWL (250 %) (CI Acid Orange 86): 0,011 g/l

Solophenyl Blue GL (250 %) (CI Direct Blue 71): 0,000 155 g/l

Terasil Yellow 2GE (200 %) (CI Disperse Yellow 54) : 0,000 49 g/l

Terasil Navy Blue BGLN (200 %) (CI Disperse Blue 130): 0,024 g/l

The dyes are available from the American Association of Textile Chemists and Colorists (AATCC)¹⁾ and the Society of Dyers and Colourists (SDC)²⁾.

The test shall be carried out separately with each dye.

1) American Association of Textile Chemists and Colorists, PO Box 12215, 1 Davis Drive, RESEARCH TRIANGLE PARK, NC 27709-2215, USA. Tel. +1 919 549 8141; Fax: +1 919 549 8933; Email: info@aatcc.org; website: www.aatcc.org

2) Society of Dyers and Colourists, Perkin House, 82 Grattan Road, BRADFORD, BD1 2LU, UK. Tel. +44 1274 725138; website: www.sdc.org.uk