## International Standard



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION●MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ⊕ORGANISATION INTERNATIONALE DE NORMALISATION

## Personal eye-protectors — Synoptic tables of requirements for oculars and eye-protect

STANDARDS ISO. COM. Cick to view the full F Protecteurs individuels de l'œil — Tableaux récapitulatifs des spécifications pour les oculaires et les protecteurs de l'œil

First edition - 1982-12-15

UDC 614.893

Ref. No. ISO 4856-1982 (E)

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 4856 was developed by Technical Committee ISO/TC 94 Personal safety - Protective clothing and equipment, and was circulated to the member bodies in September 1981.

It has been approved by the member bodies of the following countries

Australia

Germany, F.R.

Romania

Austria Belgium Hungary India

South Africa, Rep. of

Canada

Israel

Sweden Switzerland

Czechoslovakia Egypt, Arab Rep. of

Netherlands Norway

Thailand **USSR** 

France

Poland

The member bodies of the following countries expressed disapproval of the document on technical grounds:

> Denmark United Kingdom

# Personal eye-protectors — Synoptic tables of requirements for oculars and eye-protectors with the filliphic of the synoptic tables of requirements for oculars and eye-protectors with the filliphic oculars. 1 Scope and field of application

This International Standard provides a survey of the require ments which have to be met by the various types of oculars and eye-protectors as well as by the combination of both with the exception of filters and eye-protectors against laser radiation, specifications of which are given in ISO 6161.

## 2 References

General and particular requirements are stated in the following documents:

ISO 4007, Personal eye-protectors — Vocabulary.

ISO 4849, Personal eye-protectors — Specifications.

ISO 4850, Personal eye-protectors for welding and related techniques -♥Filters — Utilisation and transmittance requirements.

ISO 4851, Personal eye-protectors — Ultra-violet filters — Utilisation and transmittance requirements.

ISO 4852, Personal eye-protectors — Infra-red filters — Utilisation and transmittance requirements.

NSO 4853, Personal eye-protectors — Daylight filters — Utilisation and transmittance requirements. 1)

ISO 6161, Personal eye-protectors — Filters and eye-protectors against laser radiation.

The test methods corresponding to these specifications are described in the following two documents:

ISO 4854, Personal eye-protectors — Optical test methods.

ISO 4855, Personal eye-protectors — Non-optical test methods.

## Synoptic tables

Requirements to be met by the different types of oculars are given in table 1.

Requirements for frames and mounted oculars are given in table 2.

Depending on the risk the different types of eye-protectors have to be fitted with the particular oculars according to table 3.

<sup>1)</sup> At present at the stage of draft.

Table 1 — Synoptic table of requirements for oculars

|   |      | Type of oculars      |                 |                      |                   |                  |   |  |                    |                     |                     |
|---|------|----------------------|-----------------|----------------------|-------------------|------------------|---|--|--------------------|---------------------|---------------------|
| Requirements  According to clause ISO or                      |      |                      | Welding filters | Ultra-violet filters | Infra-red filters | Daylight filters | Clear protective lenses against impacts | Clear protective visors against high-<br>speed particles | Clear cover plates | According to clause |                     |
|   |      | sub-clause           | >               |                      |                   |                  | 0.=                                     | O s  |                    | 6                   | sub-clause          |
| Dimensions  | 4849 | 7.1.1                | +               | +                    | +                 | +                | +                                       | +  | +0                 |                     | asuring             |
| Optical requirements  | 4849 | 7.1.2.1.1            | +               | +                    | +                 | +                | +                                       | +  | ~ #X~              | 4854                | 3 or annex A        |
| Diffusion of light  | 4849 | 7.1.2.2              | +               | +                    | +                 | +                | +                                       | to   | <b>)</b> +         | 4854                | 4                   |
| Quality of material and surface                               | 4849 | 7.1.3                | +               | +                    | +                 | +                | +                                       | 44   | +                  | 4854                | 5                   |
| Oculars for protection against high mass, low-speed particles | 4849 | 7.1.4 and<br>7.1.4.1 | _ 1)            | 1)                   | _ 1)              | 1)               | ⟨\$ '                                   | <b>)</b> _   | -                  | 4855                | 3                   |
| Protection against high-speed particles                       | 4849 | 7.2.2.2              | 1)              | 1)                   | _ 1)              | -8               | _                                       | +  | _                  | 4855                | 9                   |
| Stability at elevated temperature                             | 4849 | 7.1.5                | +               | +                    | + 5               | <i>(</i> ),      | +                                       | +  | +                  | 4855                | 4                   |
| Stability to ultra-violet radiation                           | 4849 | 7.1.6                | +               | +                    | */J               | +                | +                                       | +  | +                  | 4855                | 5                   |
| Ignition  | 4849 | 7.2.2.1              | +               | +1                   | +                 | +                | +                                       | +  | +                  | 4855                | 6                   |
| Suitability for disinfection                                  | 4849 | 7.1.8                | +               | 10                   | +                 | +                | +                                       | +  | +                  | 4855                | 8                   |
| Transmittance variations                                      | 4849 | 7.2.1.1              | ¥,0             | +                    | +                 | +                | _                                       |  | _                  | 4849<br>and<br>4854 | 7.2.1.1<br>and<br>6 |
| Transmittance of clear protective lenses and cover plates     | 4849 | 7.2.1.1.1 Cili       | ,<br>_          | _                    | -                 | _                | +                                       | +  | +                  | 4854                | 6                   |
| Transmittance of welding filters                              | 4850 | 40M.                 | +               | _                    |                   |                  | _                                       | _  | _                  | 4854                | 6                   |
| Transmittance of UV filters                                   | 4851 | 4)                   | -               | +                    | _                 |                  | _                                       | _  | _                  | 4854                | 6                   |
| Transmittance of IR filters                                   | 4852 | 4                    | _               |                      | +                 | _                | _                                       | _  |                    | 4854                | 6                   |
| Transmittance of daylight filters                             | 4853 | 4                    | -               | _                    |                   | +                | _                                       |  | -                  | 4853                | 4                   |
| Identification  | 4849 | 9                    | +               | +                    | +                 | +                | +                                       | +  | +                  | Visual              | inspection          |

Symbols: + = required - = not required

<sup>1)</sup> In the case where the ocular is worn in areas of mechanical hazards this requirement shall be applied.

Infra-red filters and welding filters made of toughened glass are forbidden in some countries and allowed in some others on condition that an appropriate complementary protection is provided.