

NOTICE

THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION AN123451 THRU AN123600, REVISION 4, NOTICE 1 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE AN123451 THRU AN123600, REVISION 4, NOTICE 1. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.


UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS SAE TECHNICAL DOCUMENT.

SAENORM.COM : Click to view the full PDF of as123451

AS123451 THRU
AS123600

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

THIRD ANGLE PROJECTION



ISSUED 1999-12

PREPARED BY SAE COMMITTEE E-25

PROCUREMENT SPECIFICATION: NONE



AEROSPACE STANDARD

RIVET, SOLID, 100° FLUSH HEAD, AMS 7229

AS123451 THRU
AS123600
SHEET 1 OF 4




FIGURE 1 -

TABLE I - DIMENSIONS

D DIAMETER	A	B +.001 -.003	C REFERENCE	X
.062 ± .001	.105 + .002 - .006	.022	.112	.010
.094 ± .001	.170 + .002 - .006	.036	.169	.010
.125 + .001 - .002	.216 + .002 - .006	.042	.225	.010
.156 + .001 - .002	.278 + .002 - .006	.055	.261	.015
.188 + .001 - .002	.344 + .003 - .007	.070	.338	.015
.250 ± .002	.467 + .003 - .007	.095	.450	.020
.312 ± .002	.555 + .003 - .007	.106	.561	.020
.375 ± .002	.685 + .003 - .007	.134	.675	.020

(a) DIAMETER D TO BE GAGED FROM END OF SHANK TO WITHIN .100 OF BASE OF HEAD.

TABLE II - DIMENSIONS AND PART NUMBERS

AS123451 THRU
AS123600

L	DIAMETER AND PART NUMBERS							
	.062	.094	.125	.156	.188	.250	.312	.375
.125	AN123451							
.156	AN123460							
.188	AN123452	AN123468						
.219	AN123461	AN123479						
.250	AN123453	AN123469						
.281	AN123462	AN123480						
.312	AN123454	AN123470	AN123486	AN123502				
.344	AN123463	AN123481	AN123533	AN123584				
.375	AN123455	AN123471	AN123487	AN123503	AN123519			
.406	AN123464	AN123482	AN123534	AN123585				
.438	AN123456	AN123472	AN123488	AN123504	AN123520			
.469	AN123465	AN123483	AN123535	AN123586				
.500	AN123457	AN123473	AN123489	AN123505	AN123521	AN123537		
.531	AN123466	AN123484	AN123536	AN123587				
.562	AN123458	AN123474	AN123490	AN123506	AN123522	AN123538		
.594	AN123467	AN123485	AN123547	AN123588				
.625	AN123459	AN123475	AN123491	AN123507	AN123523	AN123539	AN123555	
.656		AN123499	AN123548	AN123589				
.688		AN123500	AN123549	AN123590				
.719		AN123501	AN123550	AN123591				
.750		AN123476	AN123492	AN123508	AN123524	AN123540	AN123556	AN123572
.781		AN123515	AN123551	AN123592				
.812		AN123516	AN123552	AN123593				
.844		AN123517	AN123553	AN123594				
.875		AN123477	AN123493	AN123509	AN123525	AN123541	AN123557	AN123573
.906		AN123518	AN123554	AN123595				
.938		AN123531	AN123563	AN123596				
.969		AN123532	AN123564	AN123597				
1.000		AN123478	AN123494	AN123510	AN123526	AN123542	AN123558	AN123574
1.031			AN123565	AN123598				
1.062			AN123566	AN123599				
1.094			AN123567	AN123600				
1.125			AN123495	AN123511	AN123527	AN123543	AN123559	AN123575
1.156			AN123568					
1.188			AN123569					
1.219			AN123570					
1.250			AN123496	AN123512	AN123528	AN123544	AN123560	AN123576
1.281			AN123571					
1.312			AN123579					
1.344			AN123580					
1.375			AN123497	AN123513	AN123529	AN123545	AN123561	AN123577
1.406			AN123581					
1.438			AN123582					
1.469			AN123583					
1.500			AN123498	AN123514	AN123530	AN123546	AN123562	AN123578