

Shield Termination, Solder Style,
Insulated, Heat-Shrinkable, Environment Resistant
General Specification For

FSC 5940

THIS AMENDMENT FORMS A PART OF AS83519A, DATED 2003-07

1. Present Requirement: (4.11 SAMPLE SIZE of Amendment 2 title item 1)

4.11 SAMPLE SIZE

Change requirement: (4.11 SAMPLE SIZE of Amendment 2 title item 1)

4.1.1 SAMPLE SIZE

Rationale for change: Editorial

2. Present requirement: (4.6.6 RETENTION OF QUALIFICATION of Amendment 2 title item 4)

4.6.6 RETENTION OF QUALIFICATION

Change requirement: (4.6.6 RETENTION OF QUALIFICATION of Amendment 2 title item 4)

4.4.6 RETENTION OF QUALIFICATION

Rationale for change: Editorial

3. Present requirement: (Amendment 2 item 5)

Table "1" references

Change requirement: (Amendment 2 item 5)

Change all Table "1" references to Table "I"

Rationale for change: Editorial

4. Present requirement (4.6.6 RETENTION OF QUALIFICATION first sentence of Amendment 2 item 4)

Retention of qualification: To retain qualification, the supplier shall forward the activity responsible for qualification a summary of Group A and B tests, indicating as a minimum the number of lots which passed and number and a summary of the results of the Group C tests including the number and type of any part failures .

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2008 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
http://www.sae.org

SAE WEB ADDRESS:

**SAE values your input. To provide feedback
on this Technical Report, please visit
http://www.sae.org/technical/standards/AS83519A_A3**

Change requirement (4.6.6 RETENTION OF QUALIFICATION first sentence of Amendment 2 item 4)

Retention of qualification: To retain qualification, the supplier shall forward the activity responsible for qualification a summary of Group A and B tests, indicating as a minimum the number of lots which passed and number of lots which failed and the previously certified data package for the Group C tests (see Paragraph 4.4) including the number and type of any part failures.

Rationale for change: To add comment disposition in Amendment 2

5. Present requirement: (Table V of Amendment 2 item 6)

GROUP II ALTITUDE IMMERSION (1 CYCLE)	3.5.2.3	4.7.5.1
GROUP III VISUAL AND DIMENSIONS	3.4 AND 3.5	4.61

Change requirement: (Table V of Amendment 2 item 6)

GROUP II ALTITUDE IMMERSION (1 CYCLE)	3.5.2.5	4.7.5.1
GROUP III VISUAL AND DIMENSIONS	3.4 AND 3.7	4.6.1

Rationale for change: Editorial

6. Present requirement: (Amendment 1 items 2 and 3)

ANSI/ISO 10012-1

Change requirement: (Amendment 1 items 2 and 3)

ANSI/ISO 10012

Rationale for change: Update Reference

7. Present requirement: (Amendment 1 items 2 and 3)

NCSL Z540-1

Change requirement: (Amendment 1 items 2 and 3)

NCSL Z540-3

Rationale for change: Update Reference

8. Present requirement: (Amendment 1 items 2 and 4)

ASQC Z1.4

Change requirement: (Amendment 1 items 2 and 4)

ASQ Z1.4

Rationale for change: Update Reference

Amendment 2 August 2008**1. Present Requirement: (4.11 SAMPLE SIZE)**

Sample size: Forty-three (43) terminations of each size for each specification sheet (see 3.1) for which qualification is sought shall be submitted to the activity responsible for qualification (see 6.5). See Paragraph 4.4.7

Change Requirement: (4.11 SAMPLE SIZE)

Sample size: Forty-three (43) terminations of each size for each specification sheet (see 3.1) for which qualification is sought shall be submitted to qualification inspection testing (See 4.4.7).

Rationale for Change: Clarification

2. Present Requirements: (4.4 QUALIFICATION INSPECTION)

Qualification inspection shall consist of all the tests of this specification.

Change Requirements: (4.4 QUALIFICATION INSPECTION)

Qualification inspection shall consist of all the tests of this specification. The qualifying activity (see 6.4) shall perform the initial qualification inspection tests designated in Table I and the retention of qualification inspection tests designated for Group C inspection (see 4.5.3.2). The qualifying activity shall provide a certified data package to the manufacturer for inclusion in the final test report.

Rationale for change: The qualifying activity has requested and AE-8 has directed that all specifications with qualification requirements shall specify the tests required to be performed by the qualifying activity. AS83519 is scheduled for retention of qualification in the summer 2008. This amendment is being issued to reduce the cost of qualification testing prior to submittal without compromising the quality of the product.

3. Present requirement: (4.4.4 TEST ROUTINE)

Test Routine: Sample units shall be subjected to the qualification inspection specified in Table I in the order shown.

Change Requirement: (4.4.4 TEST ROUTINE)

Test routine: Sample units shall be subjected to the qualification inspection specified in Table I.

Rationale for Change: clarification

4. Present Requirement: (4.6.6 RETENTION OF QUALIFICATION)

Retention of qualification: To retain qualification, the supplier shall forward at 12 month intervals to the activity responsible for qualification a summary of Group A and B tests, indicating as a minimum the number of lots which passed and the number which failed, and a summary of the results of Group C tests, including the number and type of any part failures. The summary shall include those tests performed during that 12 month period. If the summary of the test results indicates nonconformance with specification requirements and corrective action acceptable to the qualifying activity has not been taken, action shall be taken to remove the failing product from Qualified Product List. Failure to submit the summary may result in loss of qualification for the product. In addition to the periodic submission of inspection data, the QPL manufacturer shall immediately notify the qualifying activity at any time during the 12 month period that the inspection data indicates failure of the qualified product to meet the requirements of this specification.

Change Requirement: (4.6.6 RETENTION OF QUALIFICATION)

Retention of qualification: To retain qualification, the supplier shall forward the activity responsible for qualification a summary of Group A and B tests, indicating as a minimum the number of lots which passed and number and a summary of the results of the Group C tests including the number and type of any part failures. If the summary of the test results indicates nonconformance with specification requirements and corrective action acceptable to the qualifying activity has not been taken, action may be taken to remove the failing product from Qualified Product List (see 4.5.3.3). Failure to submit the summaries may result in loss of qualification for the product. The QPL manufacturer shall immediately notify the qualifying activity at any time that the inspection data indicates failure of the qualified product to meet the requirements of this specification.

Rationale for change: Reduce the number of submittals

5. Present requirements: (in TABLE 1 QUALIFICATION INSPECTION)

Group I (43 uninstalled terminations)
Group V (4 cable assemblies) I of each set
Group IX (4 cable assemblies) I of each set
Group X (4 cable assemblies) I of each set

Change requirements: (in Table 1 QUALIFICATION INSPECTION add "1" as shown and add footnote 1 at the bottom of Table 1)

Group I (43 uninstalled terminations)
Group V (4 cable assemblies) I of each set 1/
Group IX (4 cable assemblies) I of each set 1/
Group X (4 cable assemblies) I of each set 1/

1/ the qualifying activity shall perform the designated test Groups and Group I requirements for only those specimens in test groups V, IX, and X.

Rationale for change: The qualifying activity has requested and AE-8 has directed that all specifications with qualification requirements shall specify the tests required to be performed by the qualifying activity.

6. Present requirements: (4.5.3.2 GROUP C INSPECTION)

Group C inspection shall consist of the examinations and tests specified in Table I.

Change requirements: (4.5.3.2 Group C inspection)

Group C inspection shall consist of the examinations and tests specified in Table V.

TABLE V. GROUP C INSPECTION

EXAMINATION OR TEST	REQUIREMENT PARAGRAPH	TEST METHOD PARAGRAPH
GROUP I (UNINSTALLED TERMINATIONS) VISUAL AND DIMENSIONAL EXAMINATION ^{1/}	3.3, 3.5.1.1, 3.6, 3.7	4.6.1
GROUP II (6 CABLE ASSEMBLIES) 1 OF EACH SET VISUAL AND DIMENSIONS INSULATION RESISTANCE ALTITUDE IMMERSION (1 CYCLE) INSULATION RESISTANCE ALTITUDE IMMERSION (2 CYCLE) INSULATION RESISTANCE DIELECTRIC WITHSTANDING VOLTAGE VOLTAGE DROP TENSILE STRENGTH	3.4 AND 3.7 3.5.2.2 3.5.2.3 3.5.2.2 3.5.2.5 3.5.2.2 3.5.2.3 3.5.2.1 3.5.2.4	4.6.1 4.7.2 4.7.5.1 4.7.2 4.7.5.1 4.7.2 4.7.3 4.7.1 4.7.4
GROUP III (6 CABLE ASSEMBLIES) 1 OF EACH SET VISUAL AND DIMENSIONS HEAT AGING INSULATION RESISTANCE DIELECTRIC WITHSTANDING VOLTAGE VOLTAGE DROP	3.4 AND 3.5 3.5.2.5 3.5.2.2 3.5.2.3 3.5.2.1	4.6.1 4.7.5.5 4.7.2 4.7.3 4.7.1

^{1/} Includes certifications that design and materials have not changed since the initial qualification inspection

Rationale for change: The qualifying activity has requested and AE-8 has directed that all specifications with qualification requirements shall specify the tests required to be performed by the qualifying activity.

7. Present requirements: (4.7.5.4 FLUID IMMERSION AND TABLE V)

All references to Table V

Change requirements: (4.7.5.4 FLUID IMMERSION AND TABLE V)

Change all references to Table VI

Rationale for change: Editorial

Amendment 1 September 2004

1. Present Requirement: 2.1 Issue of documents, Page 3

MIL-STD-105 Sampling Procedures & Tables for Inspection Attributes
MIL-C-45662 Calibration System Requirements

Change Requirement: Issue of documents, Page 3

Delete MIL-STD-105, and MIL-C-45662 references

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-BS50.93 dated SEP 29 1995, and Ser: 456300C60-50.111 dated 1 October 1995